



- Features sharp HD 720P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception with DVB-T: MPEG-4 AVC Technology (H.264)
- 2x3W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 2 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pulldown Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 2	5ms Response Time	Component	100 pages	DVB	HDMI
MPEG-4 AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D	DOLBY DIGITAL	HD ready
MHEG 5				3Wx2	3D Deinterlace		CE

Technical Specifications



Display Size / Panel Type	47cm (18,5") Wide, TFT LCD
Native Resolution	1366 x 768 (HD)
Aspect Ratio	16:9
Contrast (Typ.)	1000:1 (Typ.)
Brightness	250 cd/m ²
Viewing Angle	170°/170° (H / V)
Response Time	5ms (Typ.)
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 2 (1 side, 1 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6	Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	3W + 3W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output (Coaxial); Earphone Output
Consumption	ON: 50W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	457,3 (W) x 346,0 (H) x 170,4 (D) mm with Stand 457,3 (W) x 308,4 (H) x 74,5 (D) mm w/o Stand
Package Dimensions (W x H x D)	510,0 (W) x 395,0 (H) x 142,0 (D) mm
Weight	Net Weight: 4,4Kg, Gross Weight: 6,3Kg
VESA Wall Mounting	Yes: 100 x 100mm, 4 screws, Metric 4x10mm
Tilt	-5° ~ 15°
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558176
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspear Park, Breakspear Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850



- Features ultra-sharp Full HD 1080P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception via DVB-T: MPEG-4 AVC Technology (H.264)
- 2x10W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 3 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pulldown Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 3	6.5ms Response Time	Component	Teletext Pages
MPEG-4 AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D Deinterlace 3D Comb Filter
MHEG 5					

DVB Digital Video Broadcasting	HIGH-DEFINITION MULTIMEDIA INTERFACE
DOLBY DIGITAL	HD ready 1080p

Technical Specifications



Display Size / Panel Type	106,7cm (42") Wide, TFT LCD
Native Resolution	1920 x 1080 (Full HD, 1080p)
Aspect Ratio	16:9
Contrast (Typ.)	4000:1 (Typ.)
Brightness	450 cd/m ²
Viewing Angle	176°/176° (H / V)
Response Time	6,5ms (GtG)
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 3 (1 side, 2 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6, 7	Scart Half x 1; Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	10W + 10W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output ; Earphone Output
Consumption	ON: 150W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	1015,4 (W) x 711,2 (H) x 279,5 (D) mm with Stand 1015,4 (W) x 655,1 (H) x 95,6 (D) mm w/o Stand
Package Dimensions (W x H x D)	1130,0 (W) x 808,0 (H) x 220,0 (D) mm
Weight	Net Weight: 20,9Kg, Gross Weight: 25,1Kg
VESA Wall Mounting	Yes: 400x200mm, 4 screws, Metric 6x10mm
Swivel	Yes
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558190
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspear Park, Breakspear Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850



- Features ultra-sharp Full HD 1080P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception via DVB-T: MPEG-4 AVC Technology (H.264)
- 2x10W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 3 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pulldown Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 3	8ms Response Time	Component	Teletext Pages
MPEG-4 AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D Deinterlace 3D Comb Filter
MPEG 5					

DVB Digital Video Broadcasting DVB Project	HIGH-DEFINITION MULTIMEDIA INTERFACE
DOLBY DIGITAL	HD ready 1080p

Technical Specifications

Display Size / Panel Type	80cm (31,5") Wide, TFT LCD
Native Resolution	1920 x 1080 (Full HD, 1080p)
Aspect Ratio	16:9
Contrast (Typ.)	5000:1 (Typ.)
Brightness	450 cd/m ²
Viewing Angle	178°/178° (H / V)
Response Time	8ms GtG
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 3 (1 side, 2 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6, 7	Scart Half x 1; Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	10W + 10W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output; Earphone Output
Consumption	ON: 120W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	790,5 (W) x 569,6 (H) x 255,3 (D) mm with Stand 790,5 (W) x 527,2 (H) x 89,1 (D) mm w/o Stand
Package Dimensions (W x H x D)	890,0 (W) x 688,0 (H) x 188,0 (D) mm
Weight	Net Weight: 11,0Kg, Gross Weight: 13,9Kg
VESA Wall Mounting	Yes: 200x200mm, 4 screws, Metric 6x10mm
Swivel	Yes
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558206
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspare Park, Breakspare Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850



- Features ultra-sharp Full HD 1080P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception with DVB-T: MPEG-4 AVC Technology (H.264)
- 2x10W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 3 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pull Down Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 3	5ms Response Time	Component	Teletext Pages
MPEG-4/AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D Deinterlace 3D Comb Filter
MPEG 5					

DVB Digital Video Broadcasting DVB Project	HIGH-DEFINITION MULTIMEDIA INTERFACE
DOLBY DIGITAL	HD ready 1080p
Full HD 1080P	CE

Technical Specifications



Display Size / Panel Type	70cm (27,5") Wide, TFT LCD
Native Resolution	1920 x 1200 (Full HD, 1080p)
Aspect Ratio	16:10
Contrast (Typ.)	800:1 (Typ.)
Brightness	400 cd/m ²
Viewing Angle	170°/160° (H / V)
Response Time	5ms (Typ.)
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Wide / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 3 (1 side, 2 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6, 7	Scart Half x 1; Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	10W + 10W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output; Earphone Output
Consumption	ON: 100W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	665,2 (W) x 529,4 (H) x 225,5 (D) mm with Stand 665,2 (W) x 479,7 (H) x 89,1 (D) mm w/o Stand
Package Dimensions (W x H x D)	765,0 (W) x 630,0 (H) x 188,0 (D) mm
Weight	Net Weight: 9,1Kg, Gross Weight: 11,8Kg
VESA Wall Mounting	Yes: 200 x 100mm, 4 screws, Metric 6x10mm
Swivel	Yes
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558183
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspear Park, Breakspear Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850



- Features ultra-sharp Full HD 1080P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception via DVB-T: MPEG-4 AVC Technology (H.264)
- 2x5W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 2 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pull Down Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 2	2ms Response Time	Component	Teletext Pages
MPEG-4 AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D Deinterlace 3D Comb Filter
MHEG 5				5Wx2	

DVB	HDMI
Digital Video Broadcasting DVB Project	HIGH-DEFINITION MULTIMEDIA INTERFACE
DOLBY DIGITAL	HD ready 1080p
CE	TNT HD

Technical Specifications

Display Size / Panel Type	62,5cm (24,6") Wide, TFT LCD
Native Resolution	1920 x 1080 (Full HD, 1080p)
Aspect Ratio	16:9
Contrast (Typ.)	800:1 (Typ.)
Brightness	300 cd/m ²
Viewing Angle	170°/160° (H / V)
Response Time	2ms (GtG), 4ms (Typ.)
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 2 (1 side, 1 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6	Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	5W + 5W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output (Coaxial); Earphone Output
Consumption	ON: 60W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	594,5 (W) x 430,7 (H) x 184,5 (D) mm with Stand 594,5 (W) x 385,7 (H) x 69,4 (D) mm w/o Stand
Package Dimensions (W x H x D)	680,0 (W) x 504,0 (H) x 180,0 (D) mm
Weight	Net Weight: 6,9Kg, Gross Weight: 9,1Kg
VESA Wall Mounting	Yes: 200 x 100mm, 4 screws, Metric 4x10mm
Tilt	-
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558213
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspear Park, Breakspear Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850



- Features sharp HD 720P image resolution
- Provides excellent image detail, picture quality and video performance
- Great for watching HD programming, sports, movies and enjoy gaming
- Integrated Digital Tuner for DVB-T reception
- HDTV reception with DVB-T: MPEG-4 AVC Technology (H.264)
- 2x3W RMS Audio Power and Sound Mode for enhanced audio enjoyment
- Comprehensive input/output connectivity with VGA and 2 HDMI
- Connects to over-the-air HD antenna, cable set-top box, Blu-ray™ DVD player, gaming console, VCR, video camcorder, and PC
- DNR (Digital Noise Reduction) minimises picture noise, reproducing images true to the original.
- 3:2/2:2 Pulldown Processing smoothes out pictures by correcting errors in frame rate.

H.264	Hotel Mode	HDMI X 2	5ms Response Time	Component	Teletext Pages
MPEG-4 AVC	Common Interface	3:2 Pull Down	Digital Noise Reduction	Stereo Speaker	3D Deinterlace 3D Comb Filter
MHEG 5					

DVB Digital Video Broadcasting	DOLBY DIGITAL	HDMI HD ready
--------------------------------	---------------	---------------

Technical Specifications



Display Size / Panel Type	54,9cm (21,6") Wide, TFT LCD
Native Resolution	1366 x 768 (HD)
Aspect Ratio	16:9
Contrast (Typ.)	800:1 (Typ.)
Brightness	350 cd/m ²
Viewing Angle	160°/160° (H / V)
Response Time	5ms (Typ.)
TV Reception System	SDTV and HDTV (MPEG-4 AVC H.264), DVB-T with Common Interface. PAL / SECAM
MHEG5	Yes
Video Features	3D Comb Filter, 3D De-Interlacer, Noise Reduction, 3:2/2:2 Pull Down
Viewing Aspect Ratio	Full / Subtitle / Auto / Normal / Zoom 1 / Zoom 2
Colour System	NTSC / PAL / SECAM
Extras	Freeze Picture, Favourite Channel, Channel Edit, Sleep Timer
WSS	Yes (Wide Screen Signaling)
Teletext (TV RF + AV)	100 pages (Ver 1.5)
Video Connection – Input 1, 2, 3	HDMI 1.3 x 2 (1 side, 1 rear); YPbPr (Component) x 1; Full Scart x 1
Video Connection – Input 4, 5, 6	Composite x 1; VGA (PC) x 1; TV Tuner.
Hotel Mode	Yes

Audio	3W + 3W (EQ.)
Picture & Sound preset Mode	Yes
Audio Interface	HDMI / PC Line Input; AV R/L Audio Input; Component R/L Audio Input; SPDIF Output (Coaxial); Earphone Output
Consumption	ON: 60W ; Stand-By: < 1W
OSD Languages	24 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, SK, SL, SE, TK, UA)
UM Languages	20 (EN, SP, FR, DE, IT, NL, PT, SW, DK, FI, GR, NO, RU, PO, CZ, BG, CR, HU, RO, UA)
Net Dimensions (W x H x D)	527,9 (W) x 389,0 (H) x 170,4 (D) mm with Stand 527,9 (W) x 347,2 (H) x 89,6 (D) mm w/o Stand
Package Dimensions (W x H x D)	588,0 (W) x 454,0 (H) x 157,0 (D) mm
Weight	Net Weight: 4,9Kg, Gross Weight: 7,2Kg
VESA Wall Mounting	Yes: 100 x 100mm, 4 screws, Metric 4x10mm
Tilt	-5° ~ 15°
Package Contents	User Manual, Quick Start Guide, Remote Control + Batteries, Power Cord.
EAN Code	4710859558169
Certifications	CE, Nemko Bauart, Gost-R, Weee & RoHS
Warranty	2 Years Warranty with Pick Up, Repair and Return Policy



HANNspree is main sponsor of the FIM World Superbike Championship



HANNspree is main sponsor of Ten Kate Honda

HANNspree Europe Holdings B.V.
Lichtenauerlaan 122
3062 ME Rotterdam
The Netherlands

HANNspree Europe GmbH
Mollsfeld 2
40670 Meerbusch / Germany
Tel. +49 (2159) 81457-0

HANNspree Italia S.r.l.
Via Enrico Fermi, nr. 18
37135 Verona, Italy
Tel. +39 045 8222136

Hannspree UK Ltd
Ground Floor, Suite F
Breakspear Park, Breakspear Way
Hemel Hempstead, Hertfordshire, HP2 4TZ
Tel. 44 (0) 871 666 0850